



Slingmax Slings - See the Difference!

Innovative Ideas on Safety Lifting



Comes in all Tonnages and Sizes



2 ton Frame



SLINGMAX COVERS FROM 2 TON TO 1000 TON & IN ALL LENGTHS

Delicate



OVER 30% LIGHTER THAN
WEBBING SLINGS

> EXAMPLE:

6 Ton X 6 meters Round Sling			
Slingmax	Webbing Slings	%	
3.84KG	5.67KG	-32%	

Innovative Breakthrough - Inspect by Color







RED MEANS STOP USING!, EVEN WORSE WHEN YOU SEE WHITE!

Innovative Breakthrough - Inspect by the Magic String






CHECK-FAST® INSPECTION SYSTEM – IF THE MAGIC STRING (EWI) IS GONE, STOP USING THE SLING.

Innovative Breakthrough - Inspect by Brightness



CHECK-FAST® INSPECTION SYSTEM — IF THE OPTICAL FIBER SHOWS NO LIGHT PASSING THROUGH, STOP USING THE SLING.

<1% on Elongation




SLINGMAX SLINGS' LENGTH WILL NOT INCREASE MORE THAN 1% AFTER USE.

MEASUREMENTS


	Slingmax	Webbing Slings
Elongation in Use	<1%	3-5%
Elongation at Break	3.80%	12-18%

Raining – No Problem!



SLINGMAX SLINGS HAVE 100%
STRENGTH RETENTION WHEN
EXPOSED TO RAIN AND WATER.

Protective sleeves can be custom made to prevent cutting







100% Traceability - ID Mark will not fall off







- > IT MARK ARE SEWED INTO THE SLINGS. THEY DO NOT COME OFF EASILY
- IF THE ID MARK IS BEING CUT OFF, THIS PART OF THE TAG WILL STILL BE INSIDE.
- THIS PART CONTAINS THE FULL INFORMATION OF THE SLING

100% Fabricated in HK



- ➤ 100% OF THE SLINGMAX

 SLINGS ARE FABRICATED IN


 HK, MAKKEE'S FACTORY
- ➤ 100% OF SLINGMAX SLINGS


 CAN BE TESTED BY MAKKEE

 IN HK WITH OUR 200TON

 TESTING BED

HONG KONG JOB REFERENCE





JOB REFERENCE AROUND THE WORLD



200 ton Turbine



